DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
TA common core standards	Algebra 1	TA Academic Standards
	N.RN.  1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5.  2. Rewrite expressions involving radicals and rational exponents using the properties of exponents.	
CC.2.1.HS.F.2 Apply properties of rational and irrational numbers to solve real world or mathematical problems.	N.RN.  3. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.	2.1.A1.A  Model and compare values of irrational numbers. 2.1.A1.B  Use factoring to create equivalent forms of polynomials. 2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs (Least Common Multiple) of monomials. 2.1.A1.F  Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations. 2.2.A1.C  Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B  Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of binomial times a trinomial; solve and graph linear equations and inequalities.
Apply quantitative reasoning to choose and Interpret units and scales in formulas, graphs and data displays.	<ul> <li>N.Q.</li> <li>1. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.</li> <li>2. Define appropriate quantities for the purpose of descriptive modeling.</li> <li>3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.</li> </ul>	2.1.A1.F  Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations.  2.8.A1.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities, and functional relationships that model problem situations.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.1.HS.F.4 Use units as a way to understand problems and to guide the solution of multi-step problems.	<ol> <li>N.Q.</li> <li>Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays.</li> <li>Define appropriate quantities for the purpose of descriptive modeling.</li> </ol>	2.1.A1.F  Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations.  2.8.A1.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities, and functional relationships that model problem situations.  2.8.A1.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situations that motivated the model.
CC.2.1.HS.F.5 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	N.Q.  3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	2.1.A1.F  Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations.  2.8.A1.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities, and functional relationships that model problem situations.  2.8.A1.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.
CC.2.1.HS.F.6 Extend the knowledge of arithmetic operations and apply to complex numbers.	Intentionally Blank	2.8.A1.B  Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.
CC.2.1.HS.F.7  Apply concepts of complex numbers in polynomial identities and quadratic equations to solve problems.	Intentionally Blank	2.8.A1.B  Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
Interpret the structure of expressions to represent a quantity in terms of its context.	A.SSE.  1. Interpret expressions that represent a quantity in terms of its context.  a. Interpret parts of an expression, such as terms, factors, and coefficients.  b. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r)n as the product of P and a factor not depending on P.  2. Use the structure of an expression to identify ways to rewrite it. For example, see $\frac{x}{4} - y^4$ as $(x^2)^2 - (y^2)^2$ , thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$ .	2.1.A1.A  Model and compare values of irrational numbers. 2.1.A1.B  Use factoring to create equivalent forms of polynomials. 2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs ( Least Common Multiple) of monomials. 2.2.A1.C  Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B  Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.
Write expressions in equivalent forms to solve problems.	A.SSE.  3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.  a. Factor a quadratic expression to reveal the zeros of the function it defines.  b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.  c. Use the properties of exponents to transform expressions for exponential functions. For example the expression 1.15 can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.	2.1.A1.A  Model and compare values of irrational numbers. 2.1.A1.B  Use factoring to create equivalent forms of polynomials. 2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs ( Least Common Multiple) of monomials. 2.2.A1.C  Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B  Evaluate and simplify algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
Extend the knowledge of arithmetic operations and apply to polynomials.	A.APR.  1. Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	2.1.A1.A Model and compare values of irrational numbers. 2.1.A1.B Use factoring to create equivalent forms of polynomials. 2.1.A1.E Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs ( Least Common Multiple) of monomials. 2.2.A1.C Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.
CC.2.2.HS.D.4 Understand the relationship between zeros and factors of polynomials to make generalizations about functions and their graphs.	Intentionally Blank	Intentionally Blank
Cc.2.2.HS.D.5 Use polynomial identities to solve problems.	Intentionally Blank	Model and compare values of irrational numbers. 2.1.A1.B Use factoring to create equivalent forms of polynomials. 2.1.A1.E Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs ( Least Common Multiple) of monomials. 2.2.A1.C Evaluate numerical expression that include the four basic opperations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B Evaluate and simplify algebraic expressions, for example: sums of polynomials, products/quotients of exponential terms and product of a binomial times trinomial; solve and graph linear equations and inequalities.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.6 Extend the knowledge of rational functions to rewrite in equivalent forms.	Intentionally Blank	2.1.A1.A  Model and compare values of irrational numbers. 2.1.A1.B  Use factoring to create equivalent forms of polynomials. 2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs ( Least Common Multiple) of monomials. 2.2.A1.C  Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.B  Evaluate and simplify complex algebraic expressions, for example: sums of polynomials, product/quotients of exponential terms and product of a binomial times a trinomial; solve and graph linear equations and inequalities.
CC.2.2.HS.D.7	A.CED.	2.1.A1.E
Create and graph equations or inequalities to describe numbers or relationships.	<ol> <li>Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</li> <li>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</li> <li>Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</li> <li>Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R. Linear, quadratic, and exponential (integer inputs only); for A.CED.3 linear only.</li> </ol>	Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs (Least Common Multiple) of monomials. 2.1.A1.F Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.8 Apply inverse operations to solve equations or formulas for a given variable.	A.REI.  1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.  2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs (Least Common Multiple) of monomials.  2.8.A1.E  Use combination of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities and functional relationships that model problem situations.  2.8.A1.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.
CC.2.2.HS.D.9 Use reasoning to solve equations and justify the solution method.	A.REI.  1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.  2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	2.1.A1.A  Model and compare values of irrational numbers. 2.1.A1.B  Use factoring to create equivalent forms of polynomials. 2.1.A1.E  Apply the concepts of prime and composite monomials to determine GCFs (Greatest Common Factor) and LCMs (Least Common Multiple) of monomials. 2.1.A1.F  Extend the concept and use of inverse operations to determine unknown quantities in linear and polynomial equations. 2.2.A1.C  Evaluate numerical expressions that include the four basic operations and operations of powers and roots, reciprocals, opposites, and absolute values. 2.8.A1.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities, and functiona relationships that model problem situations. 2.8.A1.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.10  Represent, solve and interpret equations/inequalities and systems of equations/inequalities algebraically and graphically.	coefficients represented by letters.  4. Solve quadratic equations in one variable.  a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.  b. Solve quadratic equations by inspection (e.g., for $\vec{x} = 49$ ), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as a $\pm$ bi for real numbers a and b.	and product of a binomial times a trinomial; solve and graph linear equations and inequalities.  2.8.A1.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations, and inequalities, and functionarelationships that model problem situations.  2.8.A1.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.
CC.2.2.HS.C.1  Use the concept and notation of functions to interpret and apply them in terms of their context.	F.IF.  1. Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then f(x) denotes the output of f corresponding to the input x. The graph of f is the graph of the equation y = f(x).  2. Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context.  3. Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. For example, the Fibonacci sequence is defined recursively by f(0) = f(1) = 1, f(n+1) = f(n) + f(n-1) for n≥ 1.  Learn as general principle; focus on linear and exponential and on arithmetic and geometric sequences.	tendency, calculate and apply the interquartile range for one- variable data, and construct a line of best fit and calculate its equation for two variable data. 2.8.A1.D Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.2 Graph and analyze functions and use their properties to make connections between the different representations.		

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.3 Write functions or sequences that model relationships between two quantities.	<ul> <li>a. Determine an explicit expression, a recursive process, or steps for calculation from a context.</li> <li>b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</li> <li>2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms.</li> </ul>	2.6.A1.C Select or calculate the appropriate measure of central tendency, calculate and apply the interquartile range for onevariable data, and construct a line of best fit and calculate its equation for two variable data. 2.8.A1.C Identify and represent patterns algebraically and/or graphically. 2.8.A1.D Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear functions. 2.8.A1.F Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model. 2.9.A1.C Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids. 2.11.A1.B Describe rates of change as modeled by linear equations.
CC.2.2.HS.C.4 Interpret the effects transformations have on functions and find the inverses of functions.	3. Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$ , $k$ $f(x)$ , $f(kx)$ , and $f(x + k)$ for	2.8.A1.D  Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear functions.

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.5 Construct and compare linear, quadratic and exponential models to solve problems.	F.LE.  1. Distinguish between situations that can be modeled with linear functions and with exponential functions.  2. Prove that linear functions grow by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals. b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.  2. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.  3. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).  3. Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratic ally, or (more generally) as a polynomial function.	2.8.A1.D Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear functions. 2.9.A1.C Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids. 2.11.A1.B Describe rates of change as modeled by linear equations.
CC.2.2.HS.C.6 Interpret functions in terms of the situation they model.	F.I.E. 5. Interpret the parameters in a linear or exponential function in terms of a context.	2.8.A1.D Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear functions. 2.9.A1.C Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids. 2.11.A1 Describe rates of change as modeled by linear equations.
CC.2.2.HS.C.7 Apply radian measure of an angle and the unit circle to analyze the trigonometric functions.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.8 Choose trigonometric functions to model periodic phenomena and describe the properties of the graphs.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.9 Prove the Pythagorean identity and use it to calculate trigonometric ratios.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.1 Use geometric figures and their properties to represent transformations in the plane.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.2 Apply rigid transformations to determine and explain congruence.	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.3.HS.A.3  Verify and apply geometric theorems as they relate to geometric figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.4  Apply the concept of congruence to create geometric constructions.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.5 Create justifications based on transformations to establish similarity of plane figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.6 Verify and apply theorems involving similarity as they relate to plane figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.7 Apply trigonometric ratios to solve problems involving right triangles.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.8 Apply geometric theorems to verify properties of circles.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.10  Translate between the geometric description and the equation for a conic section.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.11 Apply coordinate geometry to prove simple geometric theorems algebraically.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.12 Explain volume formulas and use them to solve problems.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.13 Analyze relationships between two-dimensional and three-dimensional objects.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.14 Apply geometric concepts to model and solve real world problems.	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
count or measurement variable.	S.ID.  1. Represent data with plots on the real number line (dot plots, histograms, and box plots).  2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets.  3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers).	2.6.A1.E  Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample.  2.7.A1.A  Calculate probabilities for independent, dependent, or compound events.
categorical and quantitative variables.	S.ID.  5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.  6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.  a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.  b. Informally assess the fit of a function by plotting and analyzing residuals.  c. Fit a linear function for a scatter plot that suggests a linear association.	2.8.A1.D  Demonstrate an understanding and apply properties of functions (domain, range) and characteristics of linear functions.  2.9.A1.C  Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids.  2.11.A1  Describe rates of change as modeled by linear equations.
on the data.	S.ID. 7. Interpret the slope (rate of change) and the intercept (constant term) of a linear mode in the context of the data. 8. Compute (using technology) and interpret the correlation coefficient of a linear fit. 9. Distinguish between correlation and causation.	2.6.A1.C  Select or calculate the appropriate measure of central tendency, calculate and apply the interquartile range for one-variable data, and construct a line of best fit and calculate its equation for two variable data.  2.7.A1.A  Calculate probabilities for independent, dependent, or compound events.  2.9.A1.C  Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids.  2.11.A1.B  Describe rates of change as modeled by linear equations.
CC.2.4.HS.B.4 Recognize and evaluate random processes underlying statistical experiments.	Intentionally Blank	2.7.A1.A Calculate probabilities for independent, dependent, or compound events.
CC.2.4.HS.B.5  Make inferences and justify conclusions based on sample surveys, experiments, and observational studies.	Intentionally Blank	2.7.A1.A Calculate probabilities for independent, dependent, or compound events.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.4.HS.B.6 Use the concepts of independence and conditional probability to interpret data.	Intentionally Blank	Intentionally Blank
	S.CP.  6. Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.  7. Apply the Addition Rule, P(A or B) = P(A) + P(B) – P(A and B), and interpret the answer in terms of the model.	2.7.A1.A Calculate probabilities for independent, dependent, or compound events.
	Algebra 2	
CC.2.1.HS.F.1 Apply and extend the properties of exponents to solve problems with rational exponents.	Intentionally Blank	2.1.A2.A  Model and compare values of complex numbers. 2.1.A2.D  Use exponential notation to represent any rational number. 2.1.A2.F  Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C  Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values.
CC.2.1.HS.F.2 Apply properties of rational and irrational numbers to solve real world or mathematical problems.	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.1.HS.F.3	Intentionally Blank	2.3.A2.E
Apply quantitative reasoning to choose and Interpret		Describe how a change in the value of one variable in formulas
units and scales in formulas, graphs and data		affects the value of the measurement.
displays.		2.6A2.C
		Construct a line of best fit and calculate its equation for linear
		and nonlinear two-variable data.
		2.6.A2.E
		Make predictions based on lines best fit or draw conclusions on
		the value of a variable in a population based on the results of a
		sample.
		2.7.A2.A
		Use probability to predict the likelihood of an outcome in an
		experiment.
		2.7.A2.C
		Compare odds and probability.
		2.7.A2.E
		Use probability to make judgments about the likelihood of
		various outcomes.
		2.8.A2.B
		Evaluate and simplify algebraic expressions:
		products/quotients of polynomials, logarithmic expressions and
		complex fractions; and solve and graph, linear, quadratic,
		exponential and logarithmic equations and inequalities, and
		solve and graph systems of equations and inequalities.
		2.8.A2.D
		Demonstrate and understanding and apply properties of
		functions (domain, range, inverses) and characteristics of
		families of functions (linear, polynomial, rational, exponential,
		logarithmic).
		2.8.A2.E
		Us combinations of symbols and numbers to create
		expressions, equations, and inequalities in two or more
		variables, systems of equations and inequalities, and functional
		relationships that model problem situations.
		2.11A2.A
		Determine and interpret maximum and minimum values of a
		function over a specified interval.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.1.HS.F.4	Intentionally Blank	2.3.A2.E
Use units as a way to understand problems and to guide the solution of multi-step problems.		Describe how a change in the value of one variable in formulas affects the value of the measurement.  2.8.A2.B  Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and complex fractions; and solve and graph linear, quadratic, exponential and logarithmic equations and inequalities, and solve and graph systems of equations and inequalities.  2.8.A2.D  Demonstrate an understanding and apply properties of functional (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic).  2.8.A2.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations and inequalities, and functional relationships that model problem situations.  2.11.A2.A  Determine and interpret maximum and minimum values of a function over a specified interval.
CC.2.1.HS.F.5 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	Intentionally Blank	2.6.A2.C Construct a line of best fit and calculate its equation for linear and nonlinear two-variable data. 2.6.A2.E Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample. 2.7.A2.A Use probability to predict the likelihood of an outcome in an experiment. 2.7.A2.C Compare odds and probability. 2.7.A2.E Use probability to make judgments about the likelihood of various outcomes.
CC.2.1.HS.F.6 Extend the knowledge of arithmetic operations and apply to complex numbers.	N.CN.  1. Know there is a complex number i such that $i2 = -1$ , and every complex number has the form $a + bi$ with $a$ and $b$ real.  2. Use the relation $i2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.	2.1.A2.A  Model and compare values of complex numbers.  2.2.A2.C  Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values.

DRAFT	PA Academic Standards	Intentionally Blank	2.1.A2.B Use factoring to create equivalent forms of polynomials. 2.1.A2.D Use exponential notation to represent any rational number. 2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values.	2.1.A2.B Use factoring to create equivalent forms of polynomials. 2.1.A2.D Use exponential notation to represent any rational number. 2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential, and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C Evaluate numerical expressions of complex numbers that include four basic operations and operations of powers, opposites, conjugates, and absolute values.
PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	Common Core State Standards	N.CN. 7. Solve quadratic equations with real coefficients that have complex solutions. 8. (+) Extend polynomial identities to the complex numbers. For example, rewrite $\mathring{x}^2+4$ as $(x+2i)(x-2i)$ . 9. (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.	A.SSE.  1. Interpret expressions that represent a quantity in terms of its context.  a. Interpret parts of an expression, such as terms, factors, and coefficients.  b. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r)n as the product of P and a factor not depending on P.  2. Use the structure of an expression to identify ways to rewrite it. For example, see x4 – y4 as (x2)2 – (y2)2, thus recognizing it as a difference of squares that can be factored as (x2 – y2)(x2 + y2).	A.SSE.  4. Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments.
DRAFT	PA Common Core Standards	CC.2.1.HS.F.7  Apply concepts of complex numbers in polynomial identities and quadratic equations to solve problems, 8. (+) Extend polynomial as (x + 2i)(x - 2i). 9. (+) Know the Fundam polynomials.	CC.2.2.HS.D.1 Interpret the structure of expressions to represent a quantity in terms of its context.	CC.2.2.HS.D.2 Write expressions in equivalent forms to solve problems.

DRAFT	PA Academic Standards	2.1.A2.B Use factoring to create equivalent forms of polynomials. 2.1.A2.D Use exponential notation to represent any rational number. 2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values.	2.1.A2.B Use factoring to create equivalent forms of polynomials. 2.1.A2.D Use exponential notation to represent any rational number. 2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values.
PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	Common Core State Standards	A.APR.  1. Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	A.APR.  2. Know and apply the Remainder Theorem: For a polynomial p(x) and a number a, the remainder on division by x – a is p(a), so p(a) = 0 if and only if (x – a) is a factor of p(x).  3. Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.
DRAFT	PA Common Core Standards	CC.2.2.HS.D.3 Extend the knowledge of arithmetic operations and apply to polynomials.	CC.2.2.HS.D.4 Understand the relationship between zeros and 2. Know and apply the factors of polynomials to make generalizations about remainder on division functions and their graphs.  3. Identify zeros of pol zeros to construct a ro

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.5 Use polynomial identities to solve problems.	A.APR.  4. Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity (x2 + y2)² = (x2 - y2)² + (2xy)² can be used to generate Pythagorean triples.  5. (+) Know and apply the Binomial Theorem for the expansion of (x + y) in powers of x and y for a positive integer n, where x and y are any numbers, with coefficients determined for example by Pascal's Triangle.1	2.1.A2.B  Use factoring to create equivalent forms of polynomials. 2.1.A2.D  Use exponential notation to represent any rational number. 2.1.A2.F  Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.2.A2.C  Evaluate numerical expressions of complex numbers that include the four basic operations and operations of powers, opposites, conjugates, and absolute values. 2.3.A2.C  Solve a formula for a given variable using algebraic processes. 2.8.A2.B  Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and complex fractions; and solve and graph linear, quadratic, exponential and logarithmic equations and inequalities, and solve and graph systems of equations and inequalities. 2.8.A2.D  Demonstrate an understanding and apply properties of functions (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic). 2.8.A2.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations and inequalities, and functional relationships that model problem situations. 2.8.A2.F  Interpret the results of solving equations, inequalities, systems of equations and inequalities in the context of the situation that motivated the model. 2.11.A2.B  Analyze and interpret rates growth/decay

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.6 Extend the knowledge of rational functions to rewrite in equivalent forms.	A.APR.  6. Rewrite simple rational expressions in different forms; write a(x)/b(x) in the form q(x) + r(x)/b(x), where a(x), b(x), q(x), and r(x) are polynomials with the degree of r(x) less than the degree of b(x), using inspection, long division, or, for the more complicated examples a computer algebra system.  7. (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.	2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.7 Create and graph equations or inequalities to describe numbers or relationships.	A.CED.  1. Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.  2. Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.  3. Represent constraints by equations or inequalities, and by systems of equations and/o inequalities, and interpret solutions as viable or non-viable options in a modeling context For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.  4. Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.	

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.D.8	A.REI.	2.1.A2.F
Apply inverse operations to solve equations or	2. Solve simple rational and radical equations in one variable, and give examples showing Understand the concepts of exponential and logarithmic forms	Understand the concepts of exponential and logarithmic forms
formulas for a given variable.	how extraneous solutions may arise.	and use the inverse relationships between exponential and
		logarithmic expression to determine unknown quantities in
		equations.
		2.3.A2.C
		Solve a formula for a given variable using algebraic processes.
		2.3.A2.E
		Describe how a change in the value of one variable in formulas
		affects the value of the measurement.
		2.8.A2.B
		Evaluate and simplify algebraic expressions, for example:
		products/quotients of polynomials, logarithmic expressions and
		complex fractions; and solve and graph linear, quadratic,
		exponential and logarithmic equations, and inequalities, and
		solve and graph systems of equations and inequalities.
		2.8.A2.E
		Use combinations of symbols and numbers to create
		expressions, equations, and inequalities in two or more
		variables, systems of equations and inequalities, and functional
		relationships that model problem situations.
		2.8.A2.F
		Interpret the results of solving equations, inequalities, systems
		of equations and inequalities in the context of the situation that
		motivated the model.
		2.11.A2.B
		Analyze and interpret rates growth/decay.

ş	logarithmic forms ponential and an quantities in ebraic processes.  or example:  ic expressions and conctional  qualities, systems of the situation
PA Academic Standards	2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.3.A2.C Solve a formula for a given variable using algebraic processes. 2.3.A2.E Describe how a change in the value of one variable in formulas affects the value of the measurement. 2.8.A2.B Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and complex fractions; and solve linear, quadratic, exponential and logarithmic equations, and inequalities, and functional relationships that model problem situations. 2.8.A2.F Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model. 2.11.A2.B Analyze and interpret rates of growth/decay.
Common Core State Standards	2.1.A2.F  2. Solve simple rational and radical equations in one variable, and give examples showing Understand the concepts of exponential and logarithmic rorms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations.  2.3.A2.C  Solve a formula for a given variable using algebraic processes.  2.3.A2.E  Describe how a change in the value of one variable in formulas affects the value of the measurement.  2.8.A2.B  Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and conquest fractions; and solve linear, quadratic, exponential and logarithmic equations, and inequalities, and functional relationships that model problem situations.  2.8.A2.F  Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.  2.11.A2.B  Analyze and interpret rates of growth/decay.
 PA Common Core Standards	CC.2.2.HS.D.9 Use reasoning to solve equations and justify the solution method.

۵.	PA Common Core - PA Academic Standards Crosswalk for High School	DRAFT
	Common Core State Standards	PA Academic Standards
A.REI. 11. Explain why the x-coordi and y = g(x) intersect are the approximately, e.g., using te find successive approximatic polynomial, rational, absolu	CC.2.2.HS.D.10  Represent, solve and interpret equations/inequalities 11. Explain why the x-coordinates of the points where the graphs of the equations y = f(x) Understand the concepts of exponential and logarithmic forms and systems of equations/inequalities algebraically and y = g(x) intersect are the solutions of the equation f(x) = g(x); find the solutions and use the inverse relationships between exponential and approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where f(x) and/or g(x) are linear, equations.  2.3.A.2.C	2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations. 2.3.A2.C
		Solve a formula for a given variable using algebraic processes. 2.3.A2.E Describe how a change in the value of one variable in formulas affects the value of the measurement.
	2.8.A2.8 Evaluate products	anects the value of the ineastherier.  2.8.A2.B  Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and
	complex exponen solve and 2.8.42.E Use con Use control	complex fractions; and solve and graph linear, quadratic, exponential and logarithmic equations and inequalities, and solve and graph systems of equations and inequalities. 2.8.A2.E Use combinations of symbols and numbers to create
	expression variables, variables, relationsh 2.8.A2.F 1.8.A2.F Interpret to frequation motivated 2.11.A2.B Analyze an	expressions, equations, and inequalities in two or more variables, systems of equations and inequalities, and functional relationships that model problem situations.  2.8.A2.F Interpret the results of solving equations, inequalities, systems of equations and inequalities in the context of the situation that motivated the model.  2.11.A2.B Analyze and interpret rates growth/decay.
Intentionally Blank	2.8.A2.C Recogniz and serie 2.8.A2.D	2.8.A2.C Recognize, describe and generalize patterns using sequences and series to predict long-term outcomes. 2.8.A2.D
	functions (d families of t <sub>l</sub>	functions (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic).

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.2	F.IF.	2.8.A2.B
Graph and analyze functions and use their properties	4. For a function that models a relationship between two quantities, interpret key	Evaluate and simplify algebraic expressions, for example:
to make connections between the different	features of graphs and tables in terms of the quantities, and sketch graphs showing key	products/quotients of polynomials, logarithmic expressions and
representations.	features given a verbal description of the relationship. Key features include: intercepts;	complex fractions; and solve and graph linear, quadratic,
		exponential and logarithmic equations and inequalities, and
	9. 9.1	solve and graph systems of equations and inequalities.
		2.8.A2.C
	5. Relate the domain of a function to its graph and, where applicable, to the quantitative	Recognize, describe and generalize patterns using sequences
	relationship it describes. For example, if the function h(n) gives the number of person-	and series to predict ling-term outcomes.
	hours it takes to assemble n engines in a factory, then the positive integers would be an	2.8.A2.D
	appropriate domain for the function.	Demonstrate an understanding and apply properties of
		functions (domain, range, inverses) and characteristics of
	symbolically or as a table) over a specified interval. Estimate the rate of change from a	families of functions (linear, polynomial, rational, exponential,
	graph.	logarithmic).
	7. Graph functions expressed symbolically and show key features of the graph, by hand in	
	simple cases and using technology for more complicated cases.	Use combinations of symbols and numbers to create
		expressions, equations, and inequalities in two or more
		variables, systems of equations and inequalities, and functional
		relationships that model problem situations.
	including step functions and absolute value functions.	2.2.A2.F
		Interpret the results solving equations, inequalities, systems of
		equations and inequalities in the context of the situation that
	d. (+) Graph rational functions, identifying zeros and asymptotes	motivated the model.
	when suitable factorizations are available, and showing end behavior.	
	e. Graph exponential and logarithmic functions, showing intercepts	
	and end behavior, and trigonometric functions, showing period, midline, and amplitude.	
	8. Write a function defined by an expression in different but equivalent forms to reveal	
	and explain different properties of the function.	
	a. Use the process of factoring and completing the square in a	
	quadratic function to show zeros, extreme values, and symmetry of the graph, and	
	interpret these in terms of a context.	
	b. Use the properties of exponents to interpret expressions for	
	exponential functions. For example, identify percent rate of change in functions such as y	
	= $(1.02)t$ , y = $(0.97)t$ , y = $(1.01)12t$ , y = $(1.2)t/10$ , and classify them as representing	
	exponential growth or decay	

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.3 Write functions or sequences that model relationships between two quantities.	F.BF.  1. Write a function that describes a relationship between two quantities.  a. Determine an explicit expression, a recursive process, or steps for calculation from a context.  b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.	2.1.A2.F Understand the concepts of exponential and logarithmic forms and use the inverse relationships between exponential and logarithmic expression to determine unknown quantities in equations.  2.8.A2.B Evaluate and simplify algebraic expressions, for example: products/quotients of polynomials, logarithmic expressions and complex fractions; and solve and graph linear, quadratic, exponential and logarithmic equations and inequalities, and solve and graph systems of equations and inequalities.  2.8.A2.C Recognize, describe and generalize patterns using sequences and series to predict long-term outcomes.  2.8.A2.E Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more variables, systems of equations and inequalities, and functional relationships that model problem situations.  2.8.A2.F Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model.  2.11.A2.A Determine and interpret maximum and minimum values of a function over a specified interval.  2.11.A2.B Analyze and interpret rates growth/decay.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.4 Interpret the effects transformations have on functions and find the inverses of functions.	<ul> <li>F.BF.</li> <li>3. Identify the effect on the graph of replacing f(x) by f(x) + k, k f(x), f(kx), and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs.</li> <li>Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</li> <li>4. Find inverse functions.</li> <li>a. Solve an equation of the form f(x) = c for a simple function f that has an inverse and write an expression for the inverse. For example, f(x) = 2 x3 or f(x) = (x+1)/(x-1) for x ≠ 1.</li> </ul>	2.8.A2.D  Demonstrate an understanding and apply properties of functions (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic).  2.8.A2.E  Use combinations of symbols and numbers to create expressions, equations, and inequalities in two or more
		2.8.A2.F Interpret the results of solving equations, inequalities, systems of equations, and inequalities in the context of the situation that motivated the model. 2.11.A2.A Determine and interpret maximum and minimum values of a function over a specified interval. 2.11.A2.B Analyze and interpret rates growth/decay.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.5  Construct and compare linear, quadratic and exponential models to solve problems.	F.LE.  2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).  3. Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratic ally, or (more generally) as a polynomial function.  4. For exponential models, express as a logarithm the solution to abct = d where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.	Evaluate and simplify algebraic expressions, for example:
CC.2.2.HS.C.6 Interpret functions in terms of the situation they model.	Intentionally Blank	2.8.A2.C Recognize, describe and generalize patterns using sequences and series to predict long-term outcomes. 2.8.A2.D Demonstrate an understanding and apply properties of functions (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic).

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.7 Apply radian measure of an angle and the unit circle to analyze the trigonometric functions.	F.TF.  1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.  2. Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.	Intentionally Blank
CC.2.2.HS.C.8 Choose trigonometric functions to model periodic phenomena and describe the properties of the graphs	F.TF. 5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.	Intentionally Blank
CC.2.2.HS.C.9 Prove the Pythagorean identity and use it to calculate trigonometric ratios.	F.TF. 8. Prove the Pythagorean identity $\sin 2(\theta) + \cos 2(\theta) = 1$ and use it to find $\sin(\theta)$ , $\cos(\theta)$ , or $\tan(\theta)$ given $\sin(\theta)$ , $\cos(\theta)$ , or $\tan(\theta)$ and the quadrant of the angle.	Intentionally Blank
CC.2.3.HS.A.1 Use geometric figures and their properties to represent transformations in the plane.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.2 Apply rigid transformations to determine and explain congruence.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.3 Verify and apply geometric theorems as they relate to geometric figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.4 Apply the concept of congruence to create geometric constructions.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.5 Create justifications based on transformations to establish similarity of plane figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.6 Verify and apply theorems involving similarity as they relate to plane figures.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.7 Apply trigonometric ratios to solve problems involving right triangles.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.8 Apply geometric theorems to verify properties of circles.	Intentionally Blank	Intentionally Blank
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	Intentionally Blank	Intentionally Blank

Intentionally Blank Intentionally Blank Intentionally Blank Intentionally Blank	Intentionally Blank Intentionally Blank	Intentionally Blank Intentionally Blank	Intentionally Blank	Juctousity Dlank	Intentionally bidlik	Intentionally Blank	Intentionally Blank	2.6.A2.C Construct a line of best fit and calculate its equation for linear and nonlinear two-variable data. 2.6.A2.E Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample. 2.7.A2.A Use probability to predict the likelihood of an outcome in an experiment. 2.7.A2.E Use probability to make judgments about the likelihood of various outcomes. 2.8.A2.C Recognize, describe and generalize patterns using sequences and series to predict long-term outcomes. 2.8.A2.D Demonstrate an understanding and apply properties of functional (domain, range, inverses) and characteristics of functional (domain, range, inverses) and characteristics of families of functions (linear, polynomial, rational, exponential, logarithmic).	
Intentionally Blank	Intentionally Blank		Intentionally blank	Intentionally Blank	Intentionally Blank	Intentionally Blank	CC.2.4.HS.B.1  Summarize, represent, and interpret data on a single 4. Use the mean and standard deviation of a data set to fit it to a normal distribution and count or measurement variable.  to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate area under the normal curve.	S.I.D.  5. Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data.  6. Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.  a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear, quadratic, and exponential models.  b. Informally assess the fit of a function by plotting and analyzing residuals.  c. Fit a linear function for a scatter plot that suggests a linear association.	
PA Common Core Standards CC.2.3.HS.A.10	CC.2.3.HS.A.10	Translate between the geometric description and the equation for a conic section.	CC.2.3.HS.A.11 Apply coordinate geometry to prove simple geometric theorems algebraically.	CC.2.3.HS.A.12 Explain volume formulas and use them to solve problems.	CC.2.3.HS.A.13 Analyze relationships between two-dimensional and three-dimensional objects.	CC.2.3.HS.A.14 Apply geometric concepts to model and solve real world problems.	CC.2.4.HS.B.1 Summarize, represent, and interpret data on a single count or measurement variable.	CC.2.4.HS.B.2 Summarize, represent, and interpret data on two categorical and quantitative variables.	

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
DA Common Como Story dondo	Crosswalk for High School	DA A density Chandenda
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.4.HS.B.3  Analyze linear models to make interpretations based on the data.	Intentionally Blank	2.6.A2.C Construct a line of best fit and calculate its equation for linear and nonlinear two-variable data. 2.6.A2.E Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample. 2.7.A2.A Use probability to predict the likelihood of an outcome in an experiment. 2.7.A2.C Compare odds and probability. 2.7.A2.E Use probability to make judgments about the likelihood of various outcomes.
CC.2.4.HS.B.4	S.IC.	2.6.A2.C
underlying statistical experiments.	Understand statistics as a process for making inferences about population parameters based on a random sample from that population.     Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?	and nonlinear two-variable data.  2.6.A2.E  Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample.  2.7.A2.A  Use probability to predict likelihood of an outcome in an experiment.  2.7.A2.C  Compare odds and probability.  2.7.A2.E  Use probability to make judgments about the likelihood of
CC.2.4.HS.B.5	S.IC.	various outcomes. 2.6.A2.C
Make inferences and justify conclusions based on sample surveys, experiments, and observational studies.	<ol> <li>Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each</li> <li>Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.</li> <li>Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.</li> <li>Evaluate reports based on data.</li> </ol>	Construct a line of best fit and calculate its equation for linear and nonlinear two-variable data.  2.6.A2.E  Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample.  2.7.A2.A  Use probability to predict the likelihood of an outcome in an experiment.  2.7.A2.C  Compare odds and probability.  2.7.A2.E  Use probability to make judgments about the likelihood of various outcomes.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.4.HS.B.6 Use the concepts of independence and conditional probability to interpret data.	Intentionally Blank	2.6.A2.C Construct a line of best fit and calculate its equation for linear and nonlinear two-variable data. 2.6.A2.E Make predictions based on lines of best fit or draw conclusions on the value of a variable in a population based on the results of a sample. 2.7.A2.A Use probability to predict the likelihood of an outcome in an experiment. 2.7.A2.C Compare odds and probability. 2.7.A2.E Use probability to make judgments about the likelihood of various outcomes.
probabilities of compound events in a uniform	S.MD. 6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). 7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	2.7.A2.A Use probability to predict the likelihood of an outcome in an experiment. 2.7.A2.C Compare odds and probability. 2.7.A2.E Use probability to make judgments about the likelihood of various outcomes.
	Geometry	
CC.2.1.HS.F.1 Apply and extend the properties of exponents to solve problems with rational exponents.	Intentionally Blank	Intentionally Blank
CC.2.1.HS.F.2 Apply properties of rational and irrational numbers to solve real world or mathematical problems.	Intentionally Blank	Intentionally Blank
Apply quantitative reasoning to choose and Interpret units and scales in formulas, graphs and data displays.		Intentionally Blank
CC.2.1.HS.F.4 Use units as a way to understand problems and to guide the solution of multi-step problems.	Intentionally Blank	Intentionally Blank
CC.2.1.HS.F.5 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.1.HS.F.6 Extend the knowledge of arithmetic operations and apply to complex numbers.	Intentionally Blank	Intentionally Blank
CC.2.1.HS.F.7  Apply concepts of complex numbers in polynomial identities and quadratic equations to solve problems.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.1 Interpret the structure of expressions to represent a quantity in terms of its context.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.2 Write expressions in equivalent forms to solve problems.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.3 Extend the knowledge of arithmetic operations and apply to polynomials.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.4 Understand the relationship between zeros and factors of polynomials to make generalizations about functions and their graphs.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.5 Use polynomial identities to solve problems.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.6 Extend the knowledge of rational functions to rewrite in equivalent forms.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.7 Create and graph equations or inequalities to describe numbers or relationships.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.8  Apply inverse operations to solve equations or formulas for a given variable.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.9 Use reasoning to solve equations and justify the solution method.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.D.10 Represent, solve and interpret equations/inequalities and systems of equations/inequalities algebraically and graphically.	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.1  Use the concept and notation of functions to interpret and apply them in terms of their context.	Intentionally Blank	2.3.G.C Use properties of geometric figures and measurement formulas to solve for a missing quantity (e.g., the measure of a specific angle created by parallel lines and is a transversal). 2.3.G.E Describe how a change in the value of one variable in area and volume formulas affect the value of the measurement. 2.7.G.A Use geometric figures and the concept of area to calculate probability. 2.11.G.A Find the measures of the sides of a polygon with a given perimeter that will maximize the area of the polygon. 2.11.G.C Use sums of areas of standard shapes to estimate the areas of complex shapes.
CC.2.2.HS.C.2  Graph and analyze functions and use their properties to make connections between the different representations.		Intentionally Blank
CC.2.2.HS.C.3 Write functions or sequences that model relationships between two quantities.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.4 Interpret the effects transformations have on functions and find the inverses of functions.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.5 Construct and compare linear, quadratic and exponential models to solve problems.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.6 Interpret functions in terms of the situation they model.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.7  Apply radian measure of an angle and the unit circle to analyze the trigonometric functions.	Intentionally Blank	Intentionally Blank
CC.2.2.HS.C.8 Choose trigonometric functions to model periodic phenomena and describe the properties of the graphs	Intentionally Blank	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.2.HS.C.9 Prove the Pythagorean identity and use it to calculate trigonometric ratios.		2.10.G.A Identify, create, and solve practical problems involving right triangles using the trigonometric functions and the Pythagorean Theorem.
CC.2.3.HS.A.1  Use geometric figures and their properties to represent transformations in the plane.	G.CO.  1. Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.  2. Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).  3. Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.  4. Develop definitions of rotations, reflections, and translations in terms of angles, circles perpendicular lines, parallel lines, and line segments.  5. Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	Intentionally Blank
CC.2.3.HS.A.2 Apply rigid transformations to determine and explain congruence.	<ul> <li>7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.</li> <li>8. Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.</li> </ul>	2.1.G.C Use ratio and proportion to model relationships between quantities. 2.4.G.A Write formal proofs (direct proofs, indirect proof/proofs by contradiction, use of counter-examples, truth tables, etc.) to validate conjectures or arguments. 2.7.G.A Use geometric figures and the concept of area to calculate probability. 2.9.G.B Use arguments based on transformations to establish congruence or similarity of 2 dimensional shapes.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT	
	Crosswalk for High School		
PA Common Core Standards	Common Core State Standards	PA Academic Standards	
CC.2.3.HS.A.3  Verify and apply geometric theorems as they relate to geometric figures.	triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.  11. Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.	Use properties of geometric figures and measurement formulas to solve for a missing quantity (e.g., the measure of a specific angle created by parallel lines and is transversal.	
CC.2.3.HS.A.4 Apply the concept of congruence to create geometric constructions.	G.CO.  12. Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.  13. Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	Intentionally Blank	

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.3.HS.A.5 Create justifications based on transformations to establish similarity of plane figures.	G.SRT.  1. Verify experimentally the properties of dilations given by a center and a scale factor: a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor. 2. Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. 3. Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	2.1.G.C Use ratio and proportion to model relationships between quantities. 2.4.G.A Write formal proofs (direct proofs, indirect proof/proofs by contradiction, use of counter-examples, truth tables, etc.) to validate conjectures or arguments. 2.7.G.A Use arguments based on transformations to establish congruence or similarity of 2 dimensional shapes.
CC.2.3.HS.A.6 Verify and apply theorems involving similarity as they relate to plane figures.	G.SRT.  4. Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.  5. Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	2.1.G.C Use ratio and proportion to model relationships between quantities. 2.4.G.A Write formal proofs (direct proofs, indirect proof/proofs by contradiction, use of counter-examples, truth tables, etc.) to validate conjectures or arguments. 2.7.G.A Use statements, converse, inverses, and contrapositives to construct valid arguments or to validate arguments relating to geometric theorems. 2.9.G.B Use arguments based on transformation to establish congruence or similarity of 2 dimensional shapes.
CC.2.3.HS.A.7 Apply trigonometric ratios to solve problems involving right triangles.	GIST.  6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.  7. Explain and use the relationship between the sine and cosine of complementary angles.  8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	2.8.G.B Use algebraic representations to solve problems using coordinate geometry. 2.9.G.C Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids. 2.10.G.A Identify, create, and solve practical problems involving right triangles using the trigonometric functions and the Pythagorean Theorem.

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.3.HS.A.8 Apply geometric theorems to verify properties of circles.	GM  1. Prove that all circles are similar. 2. Identify and describe relationships among inscribed angles, radii, and chords. Include contradiction, use of counter-examples, truth tables, etc.) to the relationship between central, inscribed, and circumscribed angles; inscribed angles onvalidate conjectures or arguments.  2. Identify and describe relationships among inscribed angles, radii, and chords. Include contradiction, use of counter-examples, truth tables, etc.) to the relationship between central, inscribed, and circumscribed angles; inscribed angles onvalidate conjectures or arguments.  2. Identify and describe relationship between central, inscribed, and circumscribed angles; inscribed angles on transfer arguments relating to geometric theorems.  3. Construct the inscribed in a circle.  4. (+) Construct a tangent line from a point outside a given circle to the circle.  2. Identify and describe proofs, indirect proofs, truth tables, etc.) to contradiction, use of counter-examples, truth tables, etc.) to contradiction arguments or arguments.  3. Construct the inscribed in a circle.  3. Construct a tangent line from a point outside a given circle to the circle.  3. Construct a tangent line from a point outside a given circle to the circle.  4. (+) Construct or similarity of 2 dimensional shapes.	2.4.G.A Write formal proofs (direct proofs, indirect proofs/proofs by contradiction, use of counter-examples, truth tables, etc.) to avalidate conjectures or arguments. 2.4.G.B Use statements, converses, inverses, and contrapositives to construct valid arguments or to validate arguments relating to geometric theorems. 2.9.G.B Use arguments based on transformations to establish congruence or similarity of 2 dimensional shapes.
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	GM 5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	2.3.G.C. Use properties of geometric figures and measurement formulas to solve for a missing quantity (e.g., the measure of a specific angle created by parallel lines and is a transversal).
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	GM 5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	2.4.G.A Write formal proofs (direct proofs, indirect proofs/proofs by contradiction, use of counter-examples, truth tables, etc.) to validate conjectures or arguments.
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	GM 5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of create justifications for arguments related to geometric proportionality; derive the formula for the area of a sector.	2.9.G.A Identify and use properties and relations of geometric figures; create justifications for arguments related to geometric relations.
CC.2.3.HS.A.9 Extend the concept of similarity to determine arc lengths and areas of sectors of circles.	GM  5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	2.11.G.A Find the measures of the sides of a polygon with a given perimeter that will maximize the area of the polygon.
CC.2.3.HS.A.10  Translate between the geometric description and the 1. Derive the equation of equation for a conic section.  Equation for a conic section.  2. Derive the equation of	a circle of given center and radius using the Pythagorean quare to find the center and radius of a circle given by an a parabola given a focus and directrix.	2.9.G.C Use techniques from coordinate geometry to establish properties of lines and 2-dimensional shapes and solids. 2.11.G.C Use sums of areas of standard shapes to estimate the areas of complex shapes.

DRAFT	PA Common Core - Common Core - PA Academic Standards Crosswalk for High School	DRAFT
PA Common Core Standards	Common Core State Standards	PA Academic Standards
CC.2.3.HS.A.11 Apply coordinate geometry to prove simple geometric theorems algebraically.	ordinates to prove simple geometric theorems algebraically. For example, prove we that a figure defined by four given points in the coordinate plane is a e; prove or disprove that the point (1, /3) lies on the circle centered at the origin raining the point (0, 2).  The slope criteria for parallel and perpendicular lines and use them to solve ic problems (e.g., find the equation of a line parallel or perpendicular to a given passes through a given point).  The point on a directed line segment between two given points that partitions the in a given ratio.  The point or a directed line segment between two given points that partitions the solven ratio.  The sine is a compute perimeters of polygons and areas of triangles and es, e.g., using the distance formula.	Use statements, converses, inverses, and contrapositives to construct valid arguments or to validate arguments relating to geometric theorems.  2.8.G.B Use algebraic representations to solve problems using coordinate geometry.  2.10.G.A Identify, create, and solve practical problems involving right triangles using the trigonometric functions and the Pythagorean Theorem.
CC.2.3.HS.A.12 Explain volume formulas and use them to solve 3 problems.	in informal argument for the formulas for the circumference of a circle, area of a olume of a cylinder, pyramid, and cone. Use dissection arguments, Cavalieri's , and informal limit arguments. Jume formulas for cylinders, pyramids, cones, and spheres to solve problems.	2.3.G.C Use properties of geometric figures and measurement formulas to solve for a missing quantity (e.g., the measure of a specific angle created by parallel lines and is a transversal). 2.3.G.E Describe how a change in the value of one variable in area and volume formulas affect the value of the measurement.
CC.2.3.HS.A.13 Analyze relationships between two-dimensional and three-dimensional objects.	G.GMD.  4. Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.	2.3.G.C Use properties of geometric figures and measurement formulas to solve for a missing quantity (e.g., the measure of a specific angle created by parallel lines and is a transversal). 2.9.G.A Identify and use properties and relations of geometric figures; create justifications for arguments related to geometric relations.
CC.2.3.HS.A.14 Apply geometric concepts to model and solve real world problems.	G.MG.  1. Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).  2. Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).  3. Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).	Describe how a change in the value of one variable in area and volume formulas affect the value of the measurement. 2.7.G.A Use geometric figures and the concept of area to calculate probability. 2.11.G.A Find the measures of the sides of a polygon with a given perimeter that will maximize the area of the polygon. 2.11.G.C Use sums of areas of standard shapes to estimate the areas of complex shapes.

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
PA Common Core Standards	Crosswalk for High School Common Core State Standards	PA Academic Standards
CC.2.4.HS.B.1 Summarize, represent, and interpret data on a single count or measurement variable.	Intentionally Blank	Intentionally Blank
CC.2.4.HS.B.2 Summarize, represent, and interpret data on two categorical and quantitative variables.	Intentionally Blank	Intentionally Blank
CC.2.4.HS.B.3  Analyze linear models to make interpretations based on the data.	Intentionally Blank	Intentionally Blank
CC.2.4.HS.B.4 Recognize and evaluate random processes underlying statistical experiments.	Intentionally Blank	Intentionally Blank
CC.2.4.HS.B.5  Make inferences and justify conclusions based on sample surveys, experiments, and observational studies.	Intentionally Blank	Intentionally Blank
CC.2.4.HS.B.6 Use the concepts of independence and conditional probability to interpret data.	S.CP.  1. Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not").  2. Understand that two events A and B are independent if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.  3. Understand the conditional probability of A given B as P(A and B)/P(B), and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B.  4. Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results.  5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.	Intentionally Blank

DRAFT	PA Common Core - Common Core - PA Academic Standards	DRAFT
	Crosswalk for High School	
PA Common Core Standards	Common Core State Standards	PA Academic Standards
Apply the rules of probability to compute probabilities of compound events in a uniform probability model.	S.CP.  6. Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.  7. Apply the Addition Rule, P(A or B) = P(A) + P(B) – P(A and B), and interpret the answer in terms of the model.  S.MD.  6. (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).  7. (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	Intentionally Blank